

February

[illegible]

(140°24'N x 156°56'W at 1200)

Location $15^{\circ}12'N \times 157^{\circ}08'W$ to $13^{\circ}05'N \times 156^{\circ}59'W$

Observer

Date 10 February, 1965 Time 0654 to 1833

Weather

116

127 miles

[illegible]

$(10^{\circ}55'N \times 155^{\circ}49'W \text{ at } 1200)$

Location $11^{\circ}21'N$ \rightarrow $156^{\circ}45'W$ to $10^{\circ}30'N$ \rightarrow $155^{\circ}02'W$

Observer

Date 11 February 1965 Time 0651 to 1847

Weather

115 miles

[illegible]

(11°34'N x 154°02'W at 1200)

Location 10°42'N 715-4°04'W to 12°43'N 715-4°00'W

Date 12 February, 1965 Time 0637 to 1821

11.7

121 miles

[illegible]

(15°37'N x 154°00'W at 1200)

Location $14^{\circ}34'N \times 154^{\circ}00'W$ to $16^{\circ}34'N \times 153^{\circ}58'W$

Observer

Date 13 February 1961 Time 0641 to 1817

Weather

11.6

17.0 miles

[illegible]

(19°24'N > 153°57'W at 1200)

Location $18^{\circ}37'N$ to $15^{\circ}57'N$ to $20^{\circ}30'N$ to $15^{\circ}55'N$

Date *14 February 1965* Time *0645* to *1813*

11-2

113 miles

[illegible]

(23°27'57" 153°57'00" of 1200)

Location $22^{\circ}37'N$ $153^{\circ}50'W$ to $23^{\circ}25'N$ $152^{\circ}43'W$

Date 15 February 1965 Time 0647 to 1807

113

118 miles

[illegible]

($22^{\circ}03'N \sim 150^{\circ}57'W$ at 1200)

Location 23°01'N 150°55'W to 21°18'N 150°55'W

Observer

Date 16 February 1965 Time 0636 to 1803

Weather

111 miles

[illegible]

Location $14^{\circ}03'N$ to $151^{\circ}00'W$ to $17^{\circ}27'N$ to $150^{\circ}59'W$

Observer

Date 17 February 1965 Time 0632 to 1807

Weather

46 miles

11.6

[illegible]

Location $15^{\circ}27'N$ to $15^{\circ}03'N$ to $13^{\circ}25'N$ to $15^{\circ}00'N$

Observer

Date 18 February 1968 Time 0627 to 1810

Weather

122 miles

[illegible]

[illegible]

(11° 18' N 148° 08' W at 1200)

Location $10^{\circ}10'N$ to $10^{\circ}05'N$ to $12^{\circ}16'N$ to $148^{\circ}02'W$

Date 20 February, 1965 Time 0611 to 1759

11.5

124 miles

[illegible]

(19°00'N ~ 148°02'W at 1200)

Location 17°53'N 148°02'W to 19°42'N 148°03'W

Observer

Date 22 February 1965 Time 0615 to 1754

Weather

109 miles

11.7

[illegible]

[illegible]

(26°26'N 148°03'W at 1200)

Location $25^{\circ}36'N$ $148^{\circ}00'W$ to $25^{\circ}55'N$ $145^{\circ}08'W$

Observer

Date 24 February 1965 Time 0619 to 1755

Weather

118 miles

116

SPECIES	Abundance				Breeding			Remarks
	1-10	10-100	100-1000	1000 +	Nests	Eggs	Young	
Laysan Albatross								
Black-footed Albatross		12						
Wedge-tailed Shearwater								8 - 0
Christmas I. Shearwater								
Audubon's Shearwater								
Bonin I. Petrel								
Phoenix I. Petrel								
Bulwer's Petrel								
Sooty Petrel								
Red-tailed Tropicbird								
White-tailed Tropicbird	/							
Masked Booby								
Brown Booby								
Red-footed Booby								
Great Frigatebird								
Golden Plover								
Ruddy Turnstone								
Wandering Tattler								
Sanderling								
Bristle-thighed Curlew								
Sooty Tern								8 . 0
Gray-backed Tern								
Brown-winged Tern								
Common Noddy								
Hawaiian Noddy								
Blue-gray Noddy								
Fairy Tern								
Phalarope	/							total birds = 14 1. 2

[illegible]

(24°58'N x 156°59'W at 1200)

Location $24^{\circ}58'N$ $155^{\circ}51'W$ to $24^{\circ}13'N$ $157^{\circ}01'W$

Observer

Date 26 February 1965 Time 0650 to 1828

Weather

11.6

108 miles

[illegible]

Location $22^{\circ}05'N$ $7157^{\circ}01'W$ to $21^{\circ}14'N$ $7157^{\circ}49'W$

Observer

Date 27 February 1965 Time 0605 to 1505

Weather

8.2

74 miles

[illegible]